

Introduction and Objectives

- Enhance understanding of MI-EMSIS data management at a MCA level
- Integrating and presenting prehospital and outcome data
- Development of measurable Core Measures- Group Activity (MI-EMSIS Tutorial)
- Increasing data quality, monitoring, and managing prehospital data within your MCA.

Panel Introduction

- Joe Williams, BS, Paramedic— Quality Improvement, Privacy and Compliance Coordinator, Medstar Ambulance
- Bonnie Kincaid, PhD- Executive Director, Oakland County Medical Control Authority
- Luke Bowen, BA, EMTP, IC- EMS Quality Improvement Coordinator. Macomb County Medical Control Authority
- . Kevin Putman, MSA- Michigan EMS State Data Manager

Background of MI-EMSIS

The MICOL is required by Part 200 to develop, occatinate and a content a state-occurred by Part 200 to develop, occatinate and a content and accordance to the content and accordance to the content and accordance to be access the need of content and accordance to be access the need of content and accordance to be access the need of content accordance to the content accordance to t

- Vendor Selected- Imagetrend- Largest provider of statewide EMS Data Repositories in the US.
- MI-EMSIS Implemented in 2009- All providers required to collect and begin submitting data as of May 15, 2009.
- Training on the system for MCA's was provided as part of the initial implementation

MI-EMSIS Data Quality


- Many MCA's made an initial attempt to use MI-EMSIS for CQI Efforts in their jurisdictions.
- Data quality issues were identified early on when multiple providers were reporting on multiple different systems.
- . Single source systems were not without issues.
- . Data quality and accuracy was overlooked
- Many MCA's reverted back to the old ways of requiring LSA's to submit periodic CQI Reports thus reducing emphasis MI-EMSIS.

Data Quality

- Garbage In ====> Garbage Out
- Data Mapping was an unforeseen issue
- The transition to electronic formats effectively destandardized System Wide Patient Care reporting processes.
- Suddenly, not everyone was using the same form, like in previous years.
- NEMSIS Gold Certified did not prevent destandardization.

Data Quality and Management

- Much of the information may be being sent from the LSA's and just not mapped correctly
- . Some data may not be collected by certain LSA's
- Certain Vendors have issues when sending certain types of Data- Example-Possible Injury.
- The MCA has the authority and responsibility to ensure data accuracy within their EMS system.



DIRECT MCA Data Collection

- In addition to MI-EMSIS data collection, some MCA's choose to do specific, targeted data collection.
- Macomb County felt the need to assess STEMI care, and used the approach of AHA Mission Lifeline certification requirements as the assessment metric

Objectives


- Review components of a STEMI System of Care: EMS, ER, Cath Lab
- Discuss time interval goals including 90 minute EMS call to balloon inflation
- Overview data collection and present sample data

STEMI System of Care

A STEMI "System of Care" reflects the cooperative efforts of EMS, the emergency center, and the cardiology team/cardiac catheterization lab to provide rapid STEMI recognition, cath lab activation, and ultimately the shortest time interval possible from STEMI onset (911 call) to revascularization (balloon inflation).

D2B: Door to Balloon

- There have been no significant changes to the 60 minute (AHA=90) time interval goal from ED arrival to revascularization
- Hospitals have internal processes, some paired with EMS, to reduce the D2B time*
 - . Cath lab activation prior to EMS arrival
 - . Rapid EKG acquisition in ED (if deemed necessary)
 - . Cath lab staffing/call in procedures
- * NOTE: Referral centers goal is 30 minutes door to needle



Mission Lifeline

 Many areas and regions have well developed STEMI Systems of Care, but have not applied for nor achieved Mission Lifeline [®] recognition.



www.heart.org/missionlifeline/

- Almost 250,000 Americans experience STEMI, the deadliest form of heart attack, each year
- Thirty percent of STEMI patients fail to receive percutaneous coronary intervention (PCI) or thrombolytic therapy
- Of those who receive PCI, only 40 percent are treated within the door-to-balloon timeframe of 90 (60) minutes, recommended by the American Heart Association
- Of those who receive thrombolytic therapy, fewer than half are treated within the recommended door-to-needle timeframe of 30 minutes




EMS Role

- The PRIMARY roles for EMS in helping to achieve consistent 911 call to revascularization time intervals of ≤ 90 minutes are:
 - Early recognition of signs/symptoms of STEMI
 - . Shortest interval feasible to acquire first 12-lead EKG
 - . Then rapid transmission or radio call activation
 - Working cooperatively with local hospitals and cardiology programs to have consistent cath lab activation PRIOR to EMS arrival

To Improve a Process or System....

- One must know the current state of affairs
- In Macomb County, we began collecting STEMI data almost two years ago
- We wanted to see if:
 - We were meeting the 60 minute D2B time and the 90 minute 911 call to balloon time
 - We could identify specific time intervals which could/should be improved anywhere within that spectrum




			SAMPL	E MONTH (Minutes)				
Hospital (Blinded/Re- Ordered)	EMS Resp Time	EMS Arrive to EKG Transmit	911 Call to Arrival ED	to	ED Arrive to Cath Lab Page	Door-Inflate	911-Inflate	
Α	8.0	7.5	34.0	4.5	-2.0	52.0	86.0	
В	5.0	6.0	28.0	10.0	16.0	62.0	90.0	
С	6.8	9.3	29.4	9.5	-1.8	49.6	79.0	
D	6.8	8.2	25.8	13 (1)	-7.2	56.7	54.5	
E	7.8	9.8	42.6	5.8	1.6	67.6	110.2	
SYSTEM AVERAGE	6.8	8.2	32.0	8.6	1.3	46.3	83.9	
Hospital	2	2013 Total			TOTAL DATA SET			
Α		23/89.30			41/83.80			
В		41/77.49			76/79.03			
С		21/84.97			53/85.58			
D		44/76.59			68/83.18			
E	52/91.18			106/89.21				
	181/83.91			282/84.16				

Summary

- Requiring specific data collection outside of record submission to MI-EMSIS may be viewed as a burden to the reporting parties
- Create a culture of <u>C</u>ontinuous <u>Q</u>uality <u>I</u>mprovement where the value of introspective quality analysis is used to improve patient care and patient <u>outcomes</u>
- . STAKEHOLDERS: achieve buy-in at all levels

Core Measures

- Core Measures- currently in development with the State EMS and Trauma Data Committees.
- . Provides standardized structure to measuring performance.
- Editable template can be altered to fit each organizations needs
- Can be used to look at structure, process, outcome, and system performance.
- With the NEMSIS 2.2.1 Dataset, system, process, and structure measures are much easier to obtain than outcome measures.
- . Outcome measures will be more robust in the NEMSIS 3 Data Set.



Core Measures Important things to remember: Only measure what is measurable Start small Keep it as simple as possible Answer one question at a time It's just a fraction!!!!!

Canned Reports MI-EMSIS

- . Response Times
- . Turn Times
- Call Volumes by Hour
- . Trauma Scene Times

Custom Reports

 If you can think of it.... And it's a data point you are collecting..... You can do it.

Data Quality Management

- Ensuring accurate data requires strong project management.
- . Buy in from MCA's and LSA's are a must for success.
- QI and data must be brought out from behind closed doors and involve stakeholders other than just PSRO
- . QI initiatives can be about prehospital data.

EMS Quality Improvement Plan (EQIP)

MISSION: For the MCA to provide direction to Life Support Agencies (LSA's) with respect to patient care-based quality management and performance improvement.

PURPOSE: To provide a systematic approach for LSA's and the MCA to create a joint effort for developing a Quality Improvement Plan.

EMS Quality Improvement Plan (EQIP)

- LSA creates a QI Team
- LSA completes an Annual QI Plan
- LSA QI Team performs regular Data Reviews
- LSA sends summary reports to the MCA's PSRO

Documentation: Education vs. Data

- MI-EMSIS data will only be valuable if two components are working together.
 - . The EMS providers are trained appropriately
 - . e-PCR Vendors data is clean going into MI-EMSIS
- MCA's and LSA's must work together.
- Run Times Data Test.

